Plastic injection molding machine, WOOJIN PLAIMM leads the industry.

Proforma Invoice

Pouya polymer zangan

[Model]

DL3000A5



Proforma Invoice

Messrs Pouya polymer zangan Atten



Address **Shipment Information** Pouya Polymer Zangan 1. Shipping FOB Any Korean Port 2. Incoterms 3. Packing Standard Export Sea-worthy packing By the 4th of June, 2021 (IT WILL NOT BE EFFECTED, IF EXPIRED.) 4. Validity 5. Shipment Within 19 weeks after receipt of down Payment or irrevocable L/C in WOOJIN PLAIMMs favor. 30% paid by Telegraphic transfer within 10 days after signing contract Down Payment Second Payment 70% paid by an irrevocable and unconditional L/C at sight. 6. Payment 7. Bank Info USD / Bank name : KEBHANABANK, JUAN-GONGDAN BRANCH / Account No : 745-910001-29532 / Swift Code : KOEXKRSE 8. Warranty 12 Months from the date of final installation or 13 months from the date of B/L, whichever comes earlier 9. Inspection Manufacturers to be final 10. Installation Supervising fee for Installation is included Foundation & Elec. work shall be done by the buyer before installation 11. Remarks COMMODITY UNIT PRICE TOTAL AMOUNT QUANTITY PLASTIC INJECTION MOLDING MACHINE 1 Model 8477.10.2000 DL3000A5 / IH66500 Included 2 Option 3 Auxiliary Included Included 4

Other Costs

1 Packing fee

2 Inland transportation cost in Korea

TOTAL

3 Port charge

4 Supervision fee for Installation and commissioning

The Seller

The Buyer

WOOJIN PLAIMM CO., LTD.

I. w. Kim / President

Detailed Estimate				PLAIM
ITEM	QUANTITY	UNIT PRICE	LINE TOTAL	REMARK
OPTION 1 Color	2			
(Standard Color)	Z			
2 Controller	2			
(B&R)	Ζ.			
3 Voltage	2			
(380V/60Hz)	£			
4 Installation	2			
(Leveling Pad)				
5 Injection Unit	2			
(IH66500)				
6 Screw Diameter	2			
(Ø230)				
7 Barrel Material	2			
(Anti wear)				
8 Screw Material	2			
(Anti wear)	2			
9 Screw Design	2			
(Standard Design) 10 Mounting Nozzle	2			
11 Spare Nozzle	2			
12 Nozzle Ø,R	2			
(Ø8,R19)	2			
13 Nozzle length outside fixed platen (120mm)	2			
14 Thermocouple Type	2			
(J type)	Ζ.			
15 Hydraulic core (Fixed Platen amount)	2			
(2 core)	_			
16 Hydraulic core (Movable Platen amount)	2			
(2 core)				
17 Hydraulic core (Interlock connector)	2			
(4Pin Connector)				
18 Coolant Distributor (IN, OUT set amount)	2			
(10 set)				
19 Coolant Distributor (Nipple Ø)	2			
(IN 32(1 1/4"), OUT 38(1 1/2"))				
20 Coolant Distributor (One-touch Nipple Ø)	2			
(12 mm)	2			Included
21 Oil Cooler Nipple Ø (25(1"))	2			
22 Mold area safety pad	2			
(Mold area safety pad)	Ζ.			
23 Injection pressure gauge	2			
(Selected)	_			
24 Automatic grease(Clamp)	2			
(Clamp area automatic)				
25 Automatic grease(Injection)	2			
(Injection manual grease)				
26 Oil cooler UP	2			
(1 step UP)				
27 CEE Industrial socket (voltage type)	2			
(380V/60Hz)	2			
28 CEE Industrial socket (Install position)	2			
(Default(Near Power inlet))	2			
29 Single-phase socket (voltage type) (200~240V)	۷.			
30 Safety door automatic open/close device	2			
(Selected)	۷.			
31 Resin tray	2			
(Selected)	-			
32 Working platform(operating side stairs)	2			
(DLA5 model)				
33 Robot interface (type)	2			
(EUROMAP67)				

tal	SUM						
4	Supervision fee for Installation and commissioning						Included
	3 Port charge						
	2 Inland transportation cost in Korea						
1	Packing fee						
4	OTHER COSTS						
	SUM	18					
	Hotrunner Controller 24zone	2					
	3 Conveyor (1500*4000*2100mm)	2					
	7 Take-out robot(EPIK-E-3000SW)	2					
	5 Stainless hopper	2					Included
	5 Hopper dryer(500kg)	2					Included
	Hopper drum rack	2					
	3 Cyclone	2					
	2 Chiller, water-cooled (7.5RT)	2					
-	Automatic Hydraulic Clamp	2					
3	AUXILIARY						
	SUM	78					
	(500kg)			- 1			
35) Material tank	2	1			11	
20	(408kw)	2					
38	B Elec. Motor for charging	2					
	7 Core on fly	2					
	(24 Zone)						
36	5 Injection Gate Connector (Zone amount)	2					
	(32A amount-2EA)						
35	5 CEE Industrial socket (Normal)	2					
	(Selected)						