

Add:Tinggang Village,Pengwu Areas,Dongken Town,Dongguan,China. TEL:+86-769-85375030 www.cn-print.com E-mail:sales@cn-print.com

Automatic tube container Heat transfer Machine Catalog

Model: LC-ZP-GT



Machine details:

It adopts PLC full computer control, adopts six-station precision divider, high precision, easy operation and stable speed. With heating function, automatic loading, automatic unloading, suitable for cylindrical heat transfer printing of tubes, hoses, effervescent film hoses, solid glues, container.

Advantage:

- 1.Computer control, man-machine interface is easy to operate.
- 2. Hot stamping pressure, temperature and speed can be adjusted.
- 3. Built-in self-counting, automatic positioning.
- 4. Automatic foil feeding, foil retracting and adjustable, no foil auto stop.
- 5. The height of the hot stamping head is adjustable and the range is large.
- 6. The conveyor belt is used for feeding, and the product is automatically output.

Parameter:

- 1.Model:LC-ZP-GT
- 2.Max stamping area:100X200mm
- 3.Max Product Diameter for tube:20 mm < diameter < 100 mm
- 4.Stamping head stroke:80mm
- 5.Stamping temperatura:0°C-399°C
- 6.Max Speed:30-50pcs/Min
- 7.Power:4000W
- 8.Power supply:220V/50HZ
- 9.Machine weight:1000 kg
- 10.Air supply:5 to 7 bar
- 11.Machine size:1400x1200x2000mm

Printing samples:



