### **Essential**

### die-cutting





## \_Empowering flexibility

When your clients need you to meet unusual product challenges at a moment's notice, having the equipment to get the job done is vitally important. Normally, as die-cutter versatility increases, so productivity drops off, but **NOVACUT 106 E** gives you access to world-leading technology that delivers both, without compromise.



### **NOVACUT 106 E**

- > At a glance
- > Packaging market
- > Benefits and features
  - >1-3
  - > 4 6
- > Specificati
- > Measuremer
- > Technical information
- > Related products
- > Services
  - > General services
  - > Connected Services
  - > Tooling

### > WATCH VIDEO

### REQUEST CONSULTING



Data is not binding.
Non-contractual pictures.
The manufacturer reserves
the right to make
modifications without notice.

© BOBST SA 2019
BUSF-NCT106E-EN-0819

Page 2/12

### \_Creating value

### **BOBST innovations**

are driven by customer and brand owner needs.

> READ MORE

### Functional packaging and protection

Protecting the goods in a clever way is required. Single serve, multi-packs, re-sealable, see-through.

### Customization, versioning, personalization

Packaging needs to reach all segments of the society taking almost any shape and size from very short runs to reprint and long runs. All with the best color consistency.

### **E-commerce & omni-channels**

Multiple retail formats set new requirements for packaging. On-demand production, timely delivery across multiple designs, shapes and sizes.

### Sustainability

Packaging production needs to reduce its environmental carbon footprint – less waste across the entire supply chain. New and thinner substrates. Recycling and re-use are the new rules.

### Faster time-to-market

A growing number of products need to reach consumers faster. Product lifetime is shorter. From product design to the consumer experience, the supply chain has to be more agile.

### **NOVACUT 106 E**

- > At a glance
- > Packaging market
- > Benefits and features
  - >1-3
  - > 4 6
- > Specifications
  - > Measurements
  - > Technical information
- > Related products
- > Services
  - > General services
- > Connected Services
- > Tooling



■ Print responsibly

Data is not binding.
Non-contractual pictures.
The manufacturer reserves
the right to make
modifications without notice.
© BOBST SA 2019
BUSF-NCT106E-EN-0819

Page 3/12

### Benefits and features 1 - 3





### Feeder

- Pull or push sheet registration system, allowing precise sheet register
- Feed table plate reduces static and delivers smoother sheet travel
- Optional non-stop feeder optimizes the machine's net output
- Lateral ramps, designed for smooth sheet introduction and consistent feeding



### **Advanced HMI SPHERE**

- Large 22" full color Human Machine Interface (HMI)
- Simple step-by-step procedure guides the operator through the job set-up process
- All settings appear on one screen for more convenient and intuitive navigation



### **AUTOPLATEN®**

- Smoothest sheets acceleration drastically limiting number and size of nicks
- Automatic equipment centering, locking for chase and supporting plate, ensuring perfect cutting and creasing quality
- Optional motorized cutting force adjustment


### **NOVACUT 106 E**

- > At a glance
- > Packaging market
- > Benefits and features
  - >1-3
  - > 4 6
- > Specifications
  - > Measurements
  - > Technical information
- > Related products
- > Services
  - > General services
  - > Connected Services
  - > Tooling

☐ Print responsibly

### Benefits and features 4 - 6





### Perfect in-line stripping

- Even delicate or light materials are stripped perfectly at high speed
- Integrated quick-lock system ensuring fast and easy job changeovers
- Fine adjustment of tooling for precise stripping quality
- Motorized lifting of the upper frame



### **CENTERLINE®** system

- Quick and easy fitting of dedicated tools into the machine, allowing simple, quick and accurate job repetitions
- Radically reduces job preparation, changeover and repeat times
- Quick-lock die-cutting chase for quick and easy setting



### Perfect piling and stacking

- Optional automatic non-stop delivery for continuous production
- Perfect stacking of all types and sizes of materials
- Blower sheet hold-down device controlled by the HMI, ensuring an ideal shape of the pile

### **NOVACUT 106 E**

- > At a glance
- > Packaging market
- > Benefits and features
  - > 1 3
  - > 4 6
- > Specifications
  - > Measurements
  - > Technical information
- > Related products
- > Services
  - > General services
  - > Connected Services
  - > Tooling

☐ Print responsibly

### **Specifications - Measurements**





1		
	2.70 m	9 ft*
2		
with electrical cabinet	6.40 m	21 ft*
	6.40 m	21 ft*
with electrical cabinet	6.40 m	21 ft*

### **NOVACUT 106 E**

- > At a glance
- > Packaging market
- > Benefits and features
  - > 1 3
  - > 4 6
- > Specifications
  - > Measurements
  - > Technical information
- > Related products
- > Services
  - > General services
  - > Connected Services
  - > Tooling

### Print responsibly

<sup>\*</sup>Values may vary according to the configuration.

### **Specifications – Technical information**

**Convertible stock** 

Paper, min.



NO	VA	CU'	T 1	06	
----	----	-----	-----	----	--

- > At a glance
- > Packaging market
- > Benefits and features
  - > 1 3
  - > 4 6
- > Specifications
  - > Measurements
  - > Technical information
- > Related products
- > Services
  - > General services
  - > Connected Services
  - > Tooling

Carton or solid board, up to	2,000 g/m <sup>2</sup> .060 in	
Corrugated board, up to	4 mm	.160 in
Capability		
Sheet size, max.	1,060 x 760 mm	41.73 x 29.92 in
Sheet size, min.	400 x 350 mm	15.75 x 13.78 in
Production speed, up to	8,000 s/h	8,000 s/h
Cutting force, up to	2.6 MN	286 US ton
Die-cutting		
With gripper margin, max.	1,060 x 746 mm	41.73 x 29.37 in
Embossing size, max.	1,060 x 730 mm	41.73 x 28.74 in
Gripper margin	9 - 17 mm	.3567 in
Height of cutting rules	23.8 mm	.94 in
Pile height		
Feeder, max.	1,400 (1,800)* mm	55.12 (70.87)* in
Feeder, max. with non-stop, manual	1,100 (1,500)* mm	43.31 (59.06)* in
Delivery, max.	1,100 (1,500)* mm	43.31 (59.06)* in
*Heights with maximum machine elevation		

80 g/m<sup>2</sup>

**NOVACUT 106 E** 


.004 in

### REQUEST CONSULTING

Print responsibly

### **Related products**





### **Oil Cleaner**

The revolutionary Oil Cleaner filtration device allows you to maximise the service life of your oil and also protect the planet, whilst reducing your maintenance costs.



### **CHASE CHANGER**

Functioning as a make-ready table, it allows you to prepare a second job during production and to exchange cutting chase in less than one minute.



### **Control table**

Installed on the podium barrier, this inclined table ensures optimal checking of a die-cut sheet. It includes a support to install a lighting system.

### **NOVACUT 106 E**

- > At a glance
- > Packaging market
- > Benefits and features
  - > 1 3
  - > 4 6
- > Specifications
  - > Measurements
  - > Technical information
- > Related products
- > Services
  - > General services
  - > Connected Services
- > Tooling

Print responsibly

## \_Maintaining excellence

Expert services for all your equipment.

Improve your processes, boost your productivity
and enhance your expertise with a complete range
of services from BOBST.



### **Maintenance Plus**

- Scheduled maintenance with BOBST certified technicians
- Preventative intervention, maximizing machine uptime
- Optimum performance over the equipment lifetime

### > WATCH VIDEO

### **Approved parts and logistics**

- BOBST Original and Certified parts, and consumables
- Quality assurance, and extended maintenance intervals
- Worldwide distribution, and full availability where and when you need it

### > LEARN MORE

### **Machine upgrades**

- Additional features, configured for your machine
- Enhanced functionality, connectivity and capability
- Future-proofing your investment, maintaining competitive advantage

### > LEARN MORE

### **NOVACUT 106 E**

- > At a glance
- > Packaging market
- > Benefits and features
  - > 1 3
  - > 4 6
- > Specifications
  - > Measurements
  - > Technical information
- > Related products
- > Services
  - > General services
  - > Connected Services
  - > Tooling

■ Print responsibly


Data is not binding.
Non-contractual pictures.
The manufacturer reserves
the right to make
modifications without notice.
© BOBST SA 2019
BUSF-NCT106E-EN-0819

Page 9/12



# \_Switch on digital transformation

BOBST Connected Services ensures your business is ready for the changing world of digital manufacturing. Our range of apps and technical support brings full connectivity to your equipment and processes – providing you with a wealth of real-time data, analytical tools and expertise – helping you work smarter and more productively.



### **Helpline Plus & Premium\***

- Remote access intervention, with BOBST technicians
- Expert support, eight hours a day, five days a week
- Maintain production, reduce callouts by 80%

### Helpline Plus & Premium\* AR

- Enhanced remote assistance with Augmented Reality
- Visual instructions right in front of you
- Available for internal use

### **Connect Portal**

- User friendly web portal containing equipment data, reports and analysis
- Access insights on the go with
   Mobile Portal from your smartphone

### **Remote Monitoring**

- Real-time production KPIs
- Alerts and notifications
- Enabling control and decision making

### **Downtime Tracking**

- Track downtime and understand the root causes
- Enabling continuous improvement in productivity MES / ERP interface
- Web-based API for simple equipment data interface
- Data link and ERP Interface protocols for on-site direct integration

> WATCH VIDEO

### **NOVACUT 106 E**

- > At a glance
- > Packaging market
- > Benefits and features
  - > 1 3
  - > 4 6
- > Specifications
  - > Measurements
  - > Technical information
- > Related products
- > Services
  - > General services
  - > Connected Services
- > Tooling

☐ Print responsibly


Data is not binding.
Non-contractual pictures.
The manufacturer reserves
the right to make
modifications without notice.
© BOBST SA 2019
BUSF-NCT106E-EN-0819

Page 10/12

<sup>\*24/7</sup> support in selected areas.

# Full tooling process optimization

In this challenging market, great tooling provides the consistency that you and your customer need, from the first to the last box of an order. BOBST offers the most advanced tools and equipment for die-making and converting processes so you can exceed customer quality and turnaround expectations, all while maximizing uptime and profitability.



### World-class die-cutting

- Forward thinking die-making equipment and software
- Shorter lead times without compromising quality
- Create exceptionally precise tooling for every converting process

### **Certified Die-Makers**

The Certified Die-Makers Program supports and promotes world-class local die-makers. Choosing a certified die-maker guarantees the best local tooling solutions, with BOBST supporting the ongoing innovation, digitalization and quality improvements of these specialists.

### **Enhanced converting**

- Industry-leading range of equipment
- Made for all cutting, stripping and blanking stations
- Shortens set-up and changeover times

### **NOVACUT 106 E**

- > At a glance
- > Packaging market
- > Benefits and features
  - >1-3
  - > 4 6
- > Specifications
  - > Measurements
  - > Technical information
- > Related products
- > Services

DIE-MAKER

**BOBST** 

- > General services
- > Connected Services
- > Tooling

□ Print responsibly

Data is not binding.
Non-contractual pictures.
The manufacturer reserves
the right to make
modifications without notice.

© BOBST SA 2019
BUSF-NCT106E-EN-0819

Page 11/12

### **Essential**


## die-cutting



### **NOVACUT 106 E**

- > At a glance
- > Packaging market
- > Benefits and features
  - >1-3
- > 4 6
- > Specifications
  - > Measurements
  - > Technical information
- > Related products
- > Services
  - > General services
  - > Connected Services
  - > Tooling

### REQUEST CONSULTING



Data is not binding.
Non-contractual pictures.
The manufacturer reserves
the right to make
modifications without notice.

© BOBST SA 2019
BUSF-NCT106E-EN-0819

Page 12/12