

# 智能装盒机 Intelligent Packing Machine

- 1. 智能装盒机参数资料/Parameter data of intelligent Packing machine :

NO	设备机型 Equipment model	RY-ZH-80	备注 remarks
1	包装速度 Packaging speed	40-70PCS/min	视产品而定 Product dependent
2	尺寸 size	L70-180×W50-80×H50-80mm	
2	电机功率 Motor power	1.5KW	
3	电源类型 Power type	220V 50/60Hz	
4	适用包材 Applicable packaging materials	灰卡纸、白卡纸、瓦楞纸 Grey cardboard, white cardboard, corrugated paper	
5	气源 Gas source	0.6-0.8 Mpa	
6	外形尺寸 Overall dimension	约3400*1400*1800mm About 3400*1400*1800mm	
7	整机重量 Machine weight	About 1200kg	

## 袖口套膜收缩机 RY-XK-500A

Automatic wrapping and shrinking machine

### • 2. 袖口套膜收缩机RY-XK-500A参数资料信息

Cuff sleeve shrink machine RY-XK-500A parameter information :

电源power supply	220v 50/60HZ
功率power	1.2KW
温控温度temperature control	0-250°C
适用封切范围尺寸 Applicable sealing and cutting range	L175-470mm W70-160mm H70-140mm
工作速度Working speed	6-8pcs/min
气源Gas source	4-8/Mpa
外形尺寸Machine size	2500*1000*1700 (含前道输送皮带Including front conveyor belt)
整机重量Machine weight	400Kg

## 袖口套膜收缩机 RY-XK-500A

Automatic wrapping and shrinking machine

- 3. 袖口套膜收缩机 RY-XK-500A 配置

Cuff sleeve shrink machine RY-XK-500A configuration :

电源 power supply	380v 50-60HZ
功率 power	9.6KW
收缩炉尺寸 Shrinking furnace size	1000x500x300mm
输送速度transfer speed	0-12m/min
输送载重Delivery weight	25kg max
机器尺寸Machine size	L1500 x W1000×H1370 mm
整机重量Total Weight	185kg
适用收缩膜 Applicable shrink film	PVC