No Template Irregular Dished Head Folding Machine Model XBJ-3000

XBJ-3000 型无模板异形封头自动旋边机

FEATURES

- ①adopts the advanced PLC programme input technology and micro-electronics technology
- 2 applicable for different kinds of pressure containers with easy operation, high efficiency and folding quality
- improve not only the collective manufacture with high and stable quality but also the working environments
- The suitable objects: the automatic fixed distance gland edge folding of regular and irregular tanks, especially suitable for different kinds of shell tanks processing machines
- ⑤The product has won the national patent, and has passed the CE certification.

TECHNICAL SPECIFICATIONS

Model	XBJ-3000	
Maximum Diameter (mm)	3000mm	
Minimum Diameter (mm)	1200mm	
Minimum Circular Radius (mm)	≥300mm	
Folding Speed(Linear Velocity) (mm/min)	1000-2000mm/min	
Power Supply	Ac 380V 50HZ	
Upper pressure roller radian	R20	
Main Machine Power	8KW	
Control way	PLC /	









1	Material	stainless steel:2-6mm	
Applicable scope of sheet metal	Spinning height	Aluminium alloy: 2-8mm 25mm-50mm(According to thickness of workpiece; if the thickness is 2mm, the spinning height no more than 25mm)	
	Best suitable workpiece	Flat workpiece, round plump wokpiece	Was a second
	plump dished end Radius	≥180mm	
	ZL	200820174837.8	
PATENT NO.	ZL200820174836.3		
	ZL200720026572.2		
	ZL200620084678.3		
	ZL200610044243.0		
	ZL200620011879.0		
	ZL200520088679.0		
	ZL200510045041.3		
APPROVAL STATUS:	ISO900	01:2000 / 3C/CE	
		主要配置	
		Main configurati	
应 口	夕粉		上曲

序号	名称	品牌	备注
No.	Name	Brand	Remarks
1 PLC	DIC.	三菱	
	PLC	Mitsubishi	
2	伺服电机	安川	
	Servo motor	Yaskawa	
接触器 Contactor	接触器	施耐德	
		Schneider	,

3436

Apr 8

N.W./G.W.	1300kgs or so		
7	线缆 Cable	易格斯 IGUS	
6	按钮 Button	施耐德 Schneider	
5	光电开关 Optoelectronic switch	欧姆龙 Omron	
4	断路器	施耐德	

SHANDONG MEWA INTELLIGENT EQUIPMENT COALTO

Date: Dec 22, 2023

000.72. 4023

Bozhan Trailer Markazi