



Valves | Automatic Water Control Valves | Valves, Water Pressure Reducing

## Figure 1320-300

### Product Specification

Valve Size		End Connection	Rated Working Pressure		Flow Range		Outlet Pressure Range		Remarks
in	(mm)		psi	(kPa)	gpm	(m <sup>3</sup> /hr)	psi	(kPa)	
2	(50)	Grooved x Grooved Flanged x Flanged Grooved x Flanged	300	(2065)	40-200	(9-45)	65-165	(450-1140)	a, b, c, d
2 1/2	(65)	Grooved x Grooved Flanged x Flanged Grooved x Flanged	300	(2065)	50-250	(11-57)	65-165	(450-1140)	a, b, c, d
3	(80)	Grooved x Grooved Flanged x Flanged Grooved x Flanged	300	(2065)	80-400	(18-91)	65-165	(450-1140)	a, b, c, d
4	(100)	Grooved x Grooved Flanged x Flanged Grooved x Flanged	300	(2065)	150-750	(34-170)	65-165	(450-1140)	a, b, c, d
5	(125)	Grooved x Grooved Flanged x Flanged Grooved x Flanged	300	(2065)	215-1130	(49-257)	65-165	(450-1140)	a, b, c, e
6	(150)	Grooved x Grooved Flanged x Flanged Grooved x Flanged	300	(2065)	279-1395	(63-317)	65-165	(450-1140)	a, b, c, e
8	(200)	Grooved x Grooved Flanged x Flanged Grooved x Flanged	300	(2065)	497-1500	(113-341)	65-165	(450-1140)	a, b, c, e
10	(250)	Grooved x Grooved Flanged x Flanged Grooved x Flanged	300	(2065)	855-4275	(194-971)	65-165	(450-1140)	a, b, c, e

#### Remarks:

- Must be installed with an FM Approved pressure relief valve size ½ inch or larger
- Approved when supplied with a main control valve body in ASTM A536 ductile iron
- Approved when supplied with a pilot valve body in ASTM B148 nickel aluminum bronze C95800 or SS304 stainless steel
- Must maintain a 10 psi (69 kPa) or greater differential between inlet and outlet pressures for proper operation
- Must maintain a 15 psi (103 kPa) or greater differential between inlet and outlet pressures for proper operation

## Details

Class of Work : 1362 - Water Pressure Reduc Valves  
 Approval Standard : FM 1362 - Pressure Reducing Valves  
 Certification Type : FM Approved  
 Listing Country : China  
 Category : Valves, Water Pressure Reducing

## Company

Weflo Valve Co., Ltd  
 Intersection of Huadong Road and Chunyang Road, National  
 High-Tech Industrial Development Zone, Qingdao, P.R. China  
 266111  
 China  
<http://weflovalve.com>