



**SCHMITZ MAKİNA SANAYİ**  
İç ve Dış Tic. Ltd. Şti.

- CNC Machine
- Index
- GSC 65
- Lathe - CNC
- 65mm
- 1999
- B Axis:
- Y Axis:
- Live Tooling:

## Specifications

### Technical data

CONTROLLER SIMENS INDEX C200

turning diameter 250 mm turning length 400 mm control C 200 / 8 total power requirement 60 Description Swing Ø above bed, max. 300 mm

Max. turning Ø for chucking work, approx. 250 mm

Travel of Slides:

Turret 1, X / Z travel 163 / 550 mm

Turret 2, X / Z / Y travel 140 / 250 / 260 mm

Spindle bore, approx. 65 mm

Tool holder bore 30 mm

Spindle speeds 25 - 5,000 rpm

Feed range 0 - 15,000 rpm

Spindle drive 0.5 - 40 kW

Total electrical load 60 kW - 380 V - 50 Hz

Accessories / Special Features

2 TURRETS

Driven tools in turrets 1.2 approx 6 KW

sameca type SAM65 barloader 65mm

weight of the machine 9000 KG

Dimension of machine : L\*W\*H 4500\*2250\*1730 mm



[www.schmitz.com.tr](http://www.schmitz.com.tr)

+90 (232) 237 77 78  
+90 (532) 177 87 52  
hamit.b@schmitz.com.tr

Cennetođlu Mah. Yeřillik Cad.  
No:228-230/514 Karabađlar  
35110 Gaziemir / İZMİR





[www.schmitz.com.tr](http://www.schmitz.com.tr)

+90 (232) 237 77 78

+90 (532) 177 87 52

hamit.b@schmitz.com.tr

Cennetođlu Mah. Yeřillik Cad.  
No:228-230/514 Karabađlar  
35110 Gaziemir / İZMİR