



JBni JBni Co., Ltd.
JINHEUNG BRAKE & IoT

swift from silent
quick from quiet





Greeting

We, JBni Co.,Ltd. are a Korean company which has been manufacturing and supplying Brake Pads, Shoes, & Lining, Ass'y since 1968. We are very proud of our long history, because it proves how much we have provided our customers with satisfactory products. Lately, we have changed our company name from JH Brake into JBni Co.,Ltd, since we are now expanding our company products into a new section, brake related IoT Products. Based on our long history of brake know-how, we will provide our customers with safer and more convenient brake system in oncoming smart car world.

Our motto is “Accurate Delivery, no-defective and high quality of goods in reasonable price”. All our company have been putting all our efforts to keep pursuing develop technology and strict production control to establish mutual trust and progress with our respective customers. And these efforts will never stop.




Frame Pretreatment Line



Specifications


Compsure	1)Frame Degreasing 2) Back Plate Shot Blast 3) Adhesive Coating
Capacity	2,400 Pcs/hr
Detailed Description	Automatic Degreasing M/C : 610 X 1330 X 1400 Shot Blasting : Apron Type, 380V Max Weight Load 300kg Automatic: Adhesive Coating & Drying M/C incl. Conveyor
Required Person	2 peoples

Mixing Line



Specifications


Compsure	1) Mixer 2) Bunkers
Capacity	8 Batch / hr
Detailed Description	Mixer : Chopper Blade Type Bunkers: 20 Bunkers are required. Each bunker can be loaded Max 20Kgs Loadcell are inserted in each bunker
Required Person	2 peoples



Forming Line (Semi- Automatic)


Specifications

Compsure	Hot Press
Capacity	Max 240Pcs
Detailed Descirption	Hot Press : Designed for 6 Cavities mould 180Ton Hot Press X 6 Station
Required Person	1 person



Finishing Line (Grinding to Painting)

Specifications




Compsure	1) Grinding 2) Painting Booth 3) Paint Curing Oven & Cooling M/C
Capacity	1000 pcs/hr
Detailed Description	Grinding : Automatic Type 30 Kw manually loading pad into the Machine & automatically loading pad out to the connected conveyor Powder Spray Painting M/C : Electrostatic type Paint Curing Oven & Cooling M/C : - Oven : 1,200 X 10,000, 11.25Kw
Required Person	1 person



Finishing Line (Belt Conveyor to Bending)

Specifications



Compsure

- 1) Belt Conveyor
- 2) Automatic Drilling M/C
- 3) Plastic Shrink M/C

Capacity

1000 pcs/hr

Detailed Description

Belt Conveyor : 600(w) x 20,000(L)

Marking M/C (Ink Jet type) : We recommed the b uyer to buy directly to purchase it

Automatic Drilling M/C :

Plastic Shrink M/C

Bending M/C : We recommed the buyer to buy di rectly to purchase it


Required Person

1 person



Finishing Line (Belt Conveyor to Bending)

Specifications



Compsure

- 1) Belt Conveyor
- 2) Automatic Drilling M/C
- 3) Plastic Shrink M/C

Capacity

1000 pcs/hr

Detailed Description

Belt Conveyor : 600(w) x 20,000(L)

Marking M/C (Ink Jet type) : We recommed the b uyer to buy directly to purchase it

Automatic Drilling M/C :

Plastic Shrink M/C

Bending M/C : We recommed the buyer to buy di rectly to purchase it

Required Person

1 person





JBni JBni Co., Ltd.
JINHEUNG BRAKE & IoT



0082-31-543-2666



sales@jhbrake.co.kr



0082-31-542-9442



356-2, Jeonggeum-ro, Gasan-myeon, Pocheon-si,
Gyeonggi-do, Republic of Korea



<http://jbni.co.kr/>

swift from silent
quick from quiet