

CAT DE715 GC
EMERGENCY POWER

[VIEW BROCHURE](#) →

[REQUEST QUOTATION](#) →



ABOUT THE CAT DE715 GC

Producing reliable power 715 kVA at 50 Hz, our DE715 GC generator set powered by C15 diesel engine designed to ISO 8528-5 transient response requirements.

SPECIFICATIONS

Generator Set Specifications

| | |
|-------------------------|------------------|
| Minimum Rating | 715 kVA |
| Maximum Rating | 715 kVA |
| Emissions/Fuel Strategy | Non Regulated |
| Voltage | 380 to 415 Volts |
| Frequency | 50 Hz |
| Speed | 1500 rpm |
| Duty Cycle | Standby |

Engine Specifications

| | |
|-------------------|-------------------------------------|
| Engine Model | C15 In-line 6, 4-cycle diesel |
| Compression Ratio | 16.1:1 |
| Aspiration | Turbocharged Air-to-Air Aftercooled |
| Fuel System | EUI |
| Governor Type | Adem™A4 |

Do you have a question?



CAT GENERATOR SET PACKAGE

CAT DIESEL ENGINE

A-FRAME ALTERNATOR

GCCP 1.1 CONTROL PANEL

COOLING SYSTEM

Show more

VIEW PRODUCT IN 360°

Drag your mouse to rotate the product

View: **EXTERIOR** INTERIOR



CONTACT US

Do you have questions or need advice? We are happy to help.



OUR EMERGENCY POWER SPECIALIST

Please feel free to contact me. I'm happy to help.

Dennis van Tol - Accountmanager Dieselgeneratoren

dennis.van.tol@pon-cat.com

+31(0) 610 900 709

CONTACT →

Do you have a question?



