


SN1-160



SN1·SN2 SERIES

C Frame Crank Press



FEATURES

- High torque, low noise wet clutch and brake.
- Rigid frame with less deflection.
- High accuracy transmission gears and high rigidity crank ensure press long life and accuracy.
- Forced Lubrication system with default monitor ensures the operation reliability.
- User-friendly design and all-function electric control system provide high automation compatibility.



OCP

C-Frame Single Crank

OCP-160

C型單曲軸沖床


- Improve Stamping Quality
- Reduce Noise & Vibration
- Increase Operability Improve Comfort & Safety in Pressworking
- 高精密加工的實現
- 降低噪音與沖床的震動
- 人性化的操作

- Reduce Variation of Die Height
- Prolong Toolings' Life
- Minimize Frame Deflection
- Increase Permissible Off-center Load
- 模高變化小，動態中心偏差小
- 模具壽命大幅提升
- 沖壓之變形量小
- 左右偏心負荷強

- High Performance Wet Type Clutch/Brake with Auto-forced Air Cooling
- Extra Long 6-Point Centered Gibs
- Super Rigid Steel Frame
- Reduced Total Clearance
- Multi-Function Press Control
- 強制空冷式濕式離合剎車器
- 固鎖式六面導路
- 高剛性機身
- 低總合間隙
- 多功能的沖床控制器



SN1-200



SN1·SN2 SERIES

C Frame Crank Press



FEATURES

- High torque, low noise wet clutch and brake.
- Rigid frame with less deflection.
- High accuracy transmission gears and high rigidity crank ensure press long life and accuracy.
- Forced Lubrication system with default monitor ensures the operation reliability.
- User-friendly design and all-function electric control system provide high automation compatibility.

