


Strategic Partners. Certifications



Diesel Generators



Alternator

We offer world well-known alternator such as Leroy Somer, Mecc Alte & Voltaggio. Four pole brushless self-excited system, Class H insulation, the voltage regulation will be 1%. if PMG system is selected, the voltage regulation will be 0.5%, and at the same time PMG system provides high motor starting capability as well as immunity to waveform distortion.



Engine

We are the authorized OEM of Perkins. Perkins has the highest standard of engineering it provides most comprehensive and reliable power solution; It's products meet the precise requirements of customers; Perkins is a UK based company with history of 85 years; It's one of the leading provider of gas and diesel the world engines.



Soundproof Canopy

NGT Sound & Weatherproof in housed powder coated galvanized canopy provides durable protection from all type of ambient conditions. Insulated with sound-absorbing and anti-fire material. Efficient in the air flow to the engine cooling. Integrated control panel with easy access.




Image is for illustration puprose only



ATS & Sync Panel (optional)

Easily to operate;
Connection with high reliability.

Control Panel



NGT Generators are provided with DSE integrated control panel. It is responsible for monitoring and protection of Generator. Controller has: AMF & ATS function, Parameters to Protect Engine, Alternator & Mains supply, Running time predetermined, Preventive & Shutdown Alarms, Events Log.

Baseframe



Fabricated, welded construction base frame.
High quality Mild Steel.
Integrated base fuel tank.
Anti-vibration system.
Lifting system.
Painted (Power coated or Epox spray painted).

Strategic Partners:



Generator	50 Hz / 400 V		Perkins Engine Model	Alternator		
	Prime	Stand By		Leroy Somer	Voltaggio	Mecc Alte
NGT 10	9	10	403A-11G1	TAL-040-C	V164B	ECP-2S/4A
NGT 15	13	15	403A-15G1	TAL-040-C	V164C	ECP3-2L/4
NGT 17	15	17	403A-15G2	TAL-040-E	V164D	ECP3-3L/4
NGT 22	20	22	404A-22G1	TAL-040-F	V184E	ECP28-M/4
NGT 33	30	33	1103A-33G	TAL-042-C	V184G	ECP32-2S/4
NGT 50	45	50	1103A-33TG1	TAL-042-F	V224D	ECP32-1M/4B
NGT 66	60	66	1103A-33TG2	TAL-042-H	V224E	ECP34-2S/4A
NGT 88	80	88	1104A-44TG2	TAL-044-C	V224G	ECP34-2S/4A
NGT 110	100	110	1104C-44TAG2	TAL-044-D	V274C	ECP34-2S/4A
NGT 150	135	150	1106A-70TG1	TAL-044-H	V274E	ECP34-2L/4
NGT 165	150	165	1106A-70TAG2	TAL-044-J	V274F	ECP34-2L/4
NGT 200	180	200	1106A-70TAG3	TAL-046-A	V274G	ECO38-1SN/4
NGT 220	200	220	1106A-70TAG4	TAL-046-B	V274H	ECO38-2SN/4
NGT 250	230	250	1506A-E88TAG2	TAL-046-C	V274J	ECO38-3SN/4
NGT 275	250	275	1506A-E88TAG3	TAL-046-D	V274K	ECO38-1LN/4
NGT 330	300	330	1506A-E88TAG5	TAL-046-F	V314E	ECO38-2LN/4
NGT 400	350	400	2206C-E13TAG2	TAL-046-H	V314F	ECO38-3LN/4
NGT 450	400	450	2206C-E13TAG3	TAL-047-A	V314G	ECO40-1S/4
NGT 500	450	495	2506C-E15TAG1	TAL-047-B	V354C	ECO40-2S/4
NGT 550	500	550	2506C-E15TAG2	TAL-047-C	V354D	ECO40-3S/4
NGT 660	600	660	2806C-E18TAG1A	TAL-047-E	-	ECO40-1.5L/4
NGT 700	650	700	2806A-E18TAG2	TAL-047-F	-	ECO40-2L/4
NGT 825	750	825	4006-23TAG2A	TAL-049-C	-	ECO43-1SN/4
NGT 900	800	900	4006-23TAG3A	TAL-049-C	-	ECO43-1SN/4
NGT 1000	900	1000	4008TAG1A	TAL-049-D	-	ECO43-1LN/4
NGT 1100	1000	1100	4008TAG2	TAL-049-E	-	ECO43-1LN/4
NGT 1375	1250	1375	4012-46TWG2A	LSA50.2 M6	-	ECO43-2L
NGT 1650	1500	1650	4012-46TAG2A	LSA50.2 L8	-	ECO46-1S
NGT 1856	1688	1856	4012-46TAG3A	LSA52.3 S5	-	ECO46-2S
NGT 2000	1850	2000	4016TAG1A	LSA52.3 S5	-	ECO46 1.5L4 A
NGT 2250	2000	2250	4016TAG2A	LSA52.3 S6	-	ECO46-1L/4
NGT 2500	2250	2500	4016-61TRG3	LSA52.3 L9	-	ECO46 1.5L/4