


**ZHEJIANG ZHONGTE MACHINERY TECHNOLOGY CO.,LTD**NANTANG ROAD ,SONGJIADAI ,FEIYUN STREET ,RUIAN CITY ,ZHEJIANG  
PROVINCE ,CHINA

TEL: 0086-577-65000222 FAX: 0086-577-65000222 Mobile: 0086-13968904226

**QUOTATION**

<b>No.</b>	<b>Commodity</b>	<b>Quantity</b>	<b>Unit price</b>	<b>Amount</b>
1	ZT-600 Corn cutting machine Power: 1.5KW Cutting width: 25--600mm Cutting inner diameter: 25.4--152mm Weight: 400kg Size: 1700*700*1500mm	1 unit		



## 2) Other information:

A. Packing: Sea worthy wooden case

B. Quality Guarantee: within one-year guarantee from B/L date. If the machine need repair within this period, the seller shall dispatch technician to buyer's side in time. But the buyer shall bear all the expense during the repair period.



**ZHEJIANG ZHONGTE MACHINERY TECHNOLOGY CO.,LTD**

NANTANG ROAD ,SONGJIADAI ,FEIYUN STREET ,RUIAN CITY ,ZHEJIANG  
PROVINCE ,CHINA

TEL: 0086-577-65000222 FAX: 0086-577-65000222 Mobile: 0086-13968904226

---

C.Term of trade: FOB Ningbo, shall be subject to the International Rules for the Interpretation of Trade Terms (INCOTERMS 2000) Provided by International Chamber of Commerce (ICC)

D.Payment: 30% T/T payment for deposit, 70% T/T payment before shipment.

E.Delivery time:10 days after receiving the 30% T/T payment.

F.Insurance: to be covered by buyer

G.Expense for installment and test machine: The seller will dispatch the engineer to buyer side in time when the machines arrive at buyer's place. The buyer pays all the expenses including the go and come back air-ticket, feeding and accommodation during the testing machine period.

H.Time of install and testing machine at buyer side: 5 days

This quotation is valid for 30days.

If you want to know more information, please feel free let us know.

Best Regards

Shirley Zhou

Mobile/wechat/whatapp: 0086-13968904226



## ZHEJIANG ZHONGTE MACHINERY TECHNOLOGY CO.,LTD

NANTANG ROAD ,SONGJIADAI ,FEIYUN STREET ,RUIAN CITY ,ZHEJIANG  
PROVINCE ,CHINA

TEL: 0086-577-65000222 FAX: 0086-577-65000222 Mobile: 0086-13968904226

---

### QUOTATION

Dear Sir,

Thanks so much for your information and being interested in our machines. Please kindly check the following information for your reference.

No.	Commodity	Quantity	Unit price FOB NINGBO	Amount
1.	MQ-350 Die cutter	1unit		
	Hot stamping device	1pc		
	Computer punching	1pc		
	Laminating device	1pc		

MQ-350 Die cutter:

Optional function: Hot-stamping

Lamination

Computer punch

Max paper width: 350mm

Die cutter width: 300mm

Die cutter length: 290mm

Die cutter speed: 300times/min

Max web diameter: 500mm

Motor drive: Japan

Feed paper mote: Japan

Main mote: China

Electric eye: Taiwan

The machine is automatic paper feeder, web guide by sensor, color mark sensor, die cutter, waster wrapping, cutter, auomatic rewinder.

**ZONTEN** 中特

**ZHEJIANG ZHONGTE MACHINERY TECHNOLOGY CO.,LTD**

NANTANG ROAD ,SONGJIADAI ,FEIYUN STREET ,RUIAN CITY ,ZHEJIANG  
PROVINCE ,CHINA

TEL: 0086-577-65000222 FAX: 0086-577-65000222 Mobile: 0086-13968904226

---



**ZONTEN** 中特

**ZHEJIANG ZHONGTE MACHINERY TECHNOLOGY CO.,LTD**

NANTANG ROAD ,SONGJIADAI ,FEIYUN STREET ,RUIAN CITY ,ZHEJIANG  
PROVINCE ,CHINA

TEL: 0086-577-65000222 FAX: 0086-577-65000222 Mobile: 0086-13968904226

---

**Sample:**




**Die cutter**

**ZONTEN** 中特

**ZHEJIANG ZHONGTE MACHINERY TECHNOLOGY CO.,LTD**


NANTANG ROAD ,SONGJIADAI ,FEIYUN STREET ,RUIAN CITY ,ZHEJIANG  
PROVINCE ,CHINA

TEL: 0086-577-65000222 FAX: 0086-577-65000222 Mobile: 0086-13968904226



**Hot stamping**



**Computer punching****Other information:**

- A. Packing: Sea worthy and fumigating wooden case
- B. Quality Guarantee: within one-year guarantee from installment date. If the machine need repair within this period, the seller shall dispatch technician to buyer's side in time. But the buyer shall bear all the expense during the repair period.
- C. Term of trade: EXW, shall be subject to the International Rules for the Interpretation of Trade Terms (INCOTERMS 2000) Provided by International Chamber of Commerce (ICC)
- D. Payment: 30% T/T payment for deposit, the rest 70% T/T payment before shipment.
- E. Delivery time: 15days after receiving the 30% T/T payment.
- F. Insurance: to by covered by buyer
- G. Expense for installment and test machine: The seller will dispatch the engineer to buyer side in time when the machines arrive at buyer's place.

If you have any other question, please feel free let us know.

This quotation is valid for 30days.



**ZHEJIANG ZHONGTE MACHINERY TECHNOLOGY CO.,LTD**

NANTANG ROAD ,SONGJIADAI ,FEIYUN STREET ,RUIAN CITY ,ZHEJIANG  
PROVINCE ,CHINA

TEL: 0086-577-65000222 FAX: 0086-577-65000222 Mobile: 0086-13968904226

---

Best regards,  
Shirley Zhou  
(Sales Manager)

## Quotation

No.	Product	Quantity	Unit price FOB NINGBO PORT	Amount
1	ZMQ-370 combination machine Unwinder unit with BST web guider Dia. 900MM lifted unwinding Intermittent flexo unit Print repeat 50-360mm Intermittent die cutter unit (152teeth) Die cutter Repeat: 50-360mm Slitting unit Rewinder unit	1unit	USD60000.00	USD60000.00





**ZHEJIANG ZHONGTE MACHINERY TECHNOLOGY CO.,LTD**

NANTANG ROAD ,SONGJIADAI ,FEIYUN STREET ,RUIAN CITY ,ZHEJIANG  
PROVINCE ,CHINA

TEL: 0086-577-65000222 FAX: 0086-577-65000222 Mobile: 0086-13968904226

---



**TECHNICAL SPECIFICATION:**



## ZHEJIANG ZHONGTE MACHINERY TECHNOLOGY CO.,LTD

NANTANG ROAD ,SONGJIADAI ,FEIYUN STREET ,RUIAN CITY ,ZHEJIANG  
PROVINCE ,CHINA

TEL: 0086-577-65000222 FAX: 0086-577-65000222 Mobile: 0086-13968904226

Model	ZMQ -370
Max effective paper width	370MM
Max unwinding dia	800mm
Max rewinding dia	800mm
Registration	Sensor
Die cutting speed	120m/min
Slitting speed	200m/min
Air supply	0.4-0.6pa
Heat temperature	0-200 degree
Accuracy of die cut	+0.15mm

### DEATILS DESCRIPTION

#### ●unwinding

Description	Note	Quantity	Brand Name
Servo driver	2KW	1	Panasonic -Japan
Web guide		1	BST----- Germany

#### ●semi rotary & rotary flexo unit

#### Note

Description	Note	Quantity	Brand Name
Front feeding servo motor	2KW	1	Panasonic-----Japan
Front feeding speed reducer	115Series	1	SHIMPO-----Japan
Swing link servo motor	4 KW	1	Panasonic-----Japan



## ZHEJIANG ZHONGTE MACHINERY TECHNOLOGY CO.,LTD

NANTANG ROAD ,SONGJIADAI ,FEIYUN STREET ,RUIAN CITY ,ZHEJIANG  
PROVINCE ,CHINA






TEL: 0086-577-65000222 FAX: 0086-577-65000222 Mobile: 0086-13968904226

Swing link speed link	115Series	1	SHIMPO-----Japan
UV light uv dryer		1	UVlight ----- Taiwan
Mark sensor	R58E	1	Banner ---USA
Flexo print servo motor	2KW	1	Panasonic-----Japan
Flexo print speed reducer	115Series	1	SHIMPO-----Japan
Air cylinder			Airtac ----Taiwan
Bearing			NSK----Japan
<b>●rewinding system</b>			
<b>Description</b>	<b>Note</b>	<b>Quantity</b>	<b>Brand Name</b>
Upon side Rewinding shaft	2KW	1	Panasonic-----Japan
Down side rewinding shaft	2KW	1	Panasonic-----Japan
Waste collection tension control	FL12B-1	1	Shengda----China
Waste collection magnetic powder	FL12B-1	1	Shengda----China
Snowball-waste collection motor	750W	1	JSCC----China
Fan	750W		
Bearing			NSK

**ZHEJIANG ZHONGTE MACHINERY TECHNOLOGY CO.,LTD**NANTANG ROAD ,SONGJIADAI ,FEIYUN STREET ,RUIAN CITY ,ZHEJIANG  
PROVINCE ,CHINA




TEL: 0086-577-65000222 FAX: 0086-577-65000222 Mobile: 0086-13968904226

**DEATILS DESCRIPTION :**

1		BST BRAND WEB GUIDE CONTROL WITH THE SENSOR TO GUARANTEE PAPER STRAIGHT FEEDING
2		UNWINDING DIAMETER IN 700MM
3		COLORFUL TRACKING SENSOR FOR REGISTRATION CUTTING
4		SEMI ROTARY FLEXO UNIT IN ONE PRINTING CYLINDER , 400 LINES ANLOIX ROLLER WITH 3 SERVO DRIVER PANASONIC CONTROL
5		SEMI ROTARY DIE CUTTING STATION IN 152 Z WITH 3 SERVO DRIVER PANASONIC CONTROL

**ZHEJIANG ZHONGTE MACHINERY TECHNOLOGY CO.,LTD**NANTANG ROAD ,SONGJIADAI ,FEIYUN STREET ,RUIAN CITY ,ZHEJIANG  
PROVINCE ,CHINA

TEL: 0086-577-65000222 FAX: 0086-577-65000222 Mobile: 0086-13968904226

6		PRESSURE WATCH CONTROL THE DIE CUTTER PRESSURE . REAL TIME INSPECTING TO PROTECT THE MAGNETIC KNIFE
7		SLITTING DEVICE
8		SLIDE TOUCH SCREEN SHOW ENGLISH /CHINESE

## OTHER INFORMATION:

A. PACKING: SEA WORTHY AND FUMIGATING WOODEN CASE

B. QUALITY GUARANTEE: WITHIN ONE-YEAR GUARANTEE FROM  
INSTALLMENT DATE. IF THE MACHINE NEED REPAIR WITHIN THIS  
PERIOD, THE SELLER SHALL DISPATCH TECHNICIAN TO BUYER' S  
SIDE IN TIME. BUT THE BUYER SHALL BEAR ALL THE EXPENSE  
DURING THE REPAIR PERIOD.C. TERM OF TRADE: FOB NINGBO PORT CHINA, SHALL BE SUBJECT TO  
THE INTERNATIONAL RULES FOR THE INTERPRETATION OF TRADE  
TERMS (INCOTERMS 2000) PROVIDED BY INTERNATIONAL CHAMBER  
OF COMMERCE (ICC)



**ZHEJIANG ZHONGTE MACHINERY TECHNOLOGY CO.,LTD**

NANTANG ROAD ,SONGJIADAI ,FEIYUN STREET ,RUIAN CITY ,ZHEJIANG  
PROVINCE ,CHINA

TEL: 0086-577-65000222 FAX: 0086-577-65000222 Mobile: 0086-13968904226

---

D. PAYMENT: 30% T/T PAYMENT FOR DEPOSIT, THE REST 70% T/T BEFORE SHIPMENT.

E. DELIVERY TIME : 50 DAYS AFTER GETTING THE DEPOSIT

Best regards,

Shirley Zhou

Mobile/wechat/whatapp: 0086-13968904226

**QUOTATION**

No.	Commodity	Quantity	Unit price FOB Ningbo	Amount
1.	FQ-1300 Slitting Machine	1unit	USD 15800.00	USD15800.00
	TOTAL VALUE:			



**FQ-1300 Slitting Machine**

**Instroduction:**

1. Chassis under machine and sides of baffle adopted channel steel weld construction.
2. Unwinding tension adopted 10kg magnetic powder brake 1pc.
3. Rewinding tension adopt 10kg magnetic powder clutch 2pcs.
4. Rewind device adopt 2 pcs airshaft, and adopt 1 pc of airshaft on unwind device, and 1 pc of mechanical shaft .
5. Unwinding device adpot photoelectric eye correcting the error, auto meter counting, meter presetting, auto stoppage function.
6. Drag part adoped pneumatically operated equipment.
7. Slitting device equiped circle and straight knives.
8. The main motor adpot 7.5KW 1 sets, Frequency Control.
9. All the gears and chains on this machine adopt hardness thermal refining.
10. Waste material processing adopt one set 0.55KW centrifugal blower.
11. Driving parts are composed of synchronous belt.
12. Spare parts together with machine is spanner wrench one set , one English manual.

**Main Technical Parameters:**



**ZHEJIANG ZHONGTE MACHINERY TECHNOLOGY CO.,LTD**

NANTANG ROAD ,SONGJIADAI ,FEIYUN STREET ,RUIAN CITY ,ZHEJIANG  
PROVINCE ,CHINA

TEL: 0086-577-65000222 FAX: 0086-577-65000222 Mobile: 0086-13968904226

---

1.Max.width of machine:	1300mm
2.Max.diameter of raw material:	φ1000mm
3.Rewind Diameter:	φ600mm
4.Minium width:	30-1300mm
5.Speed of machine:	160m/min
6.Total power:	8.5kw

Other information:

- A. Packing: Sea worthy and fumigating wooden case
- B. Quality Guarantee: within one-year guarantee from installment date. If the machine need repair within this period, the seller shall dispatch technician to buyer's side in time. But the buyer shall bear all the expense during the repair period.
- C. Term of trade: FOB Ningbo, shall be subject to the International Rules for the Interpretation of Trade Terms (INCOTERMS 2000) Provided by International Chamber of Commerce (ICC)
- D. Payment: 100% T/T payment before shipment.
- E. Delivery time:30days after receiving the 30% T/T payment.
- F. Insurance: to by covered by buyer

If you have any other question, please feel free let us know.

This quotation is valid for 30days.

Best regards,

Shirley

0086-13968904226

TO:

**QUOTATION**

Dear Sir,

Thanks so much for your information and being interested in our machines. Please kindly check the following information for your reference.





## ZHEJIANG ZHONGTE MACHINERY TECHNOLOGY CO.,LTD

NANTANG ROAD ,SONGJIADAI ,FEIYUN STREET ,RUIAN CITY ,ZHEJIANG  
PROVINCE ,CHINA

TEL: 0086-577-65000222 FAX: 0086-577-65000222 Mobile: 0086-13968904226

No.	Commodity	Quantity	Unit price FOB NINGBO	Amount
1.	FQ-350 Slitting machine -2pcs of web guide sensor -1pc of count meter/pieces sensor -10pcs of round knife -unwinder and rewinder air shaft 76mm -1 pc unwinder air shaft -1pc rewinder air shaft	1unit	USD3500.00	USD3500.00
2	FQ-350 Slitting machine <b>-with 3pcs of magnetic brakes</b> -2pcs of web guide sensor -1pc of count meter/pieces sensor -10pcs of round knife -unwinder and rewinder air shaft 76mm -1 pc unwinder air shaft -1pc rewinder air shaft	1UNIT	USD4500.00	USD4500.00

### FQ-350 slitting and rewinder machine:

max web width:350MM

unwinder diameter: 500mm

rewinder diameter: 450mm

Speed: 120m/min

Main motor (0.75kw): 1pc (China)

In-phase motor (0.35A 220V) 1pc (China)

Transducer 1pc (Japan)

Electric eye 1pc

Electric eye 2pcs (China,Taiwan)

Blower 1pc (China)

Knife 10pcs (China)

Air shaft 3pcs (China)

The machine has three air shaft, one for rewinder (3")and one for unwinder(3"), with Taiwan




**ZHEJIANG ZHONGTE MACHINERY TECHNOLOGY CO.,LTD**

NANTANG ROAD ,SONGJIADAI ,FEIYUN STREET ,RUIAN CITY ,ZHEJIANG  
PROVINCE ,CHINA

TEL: 0086-577-65000222 FAX: 0086-577-65000222 Mobile: 0086-13968904226

---

Sensor for web guide, and on sensor for counting piece.





## ZHEJIANG ZHONGTE MACHINERY TECHNOLOGY CO.,LTD

NANTANG ROAD ,SONGJIADAI ,FEIYUN STREET ,RUIAN CITY ,ZHEJIANG  
PROVINCE ,CHINA


TEL: 0086-577-65000222 FAX: 0086-577-65000222 Mobile: 0086-13968904226

---

**(with magnetic brake)**



**Web guide sensor (this is sensor for standard machine)**



**Round knife**

Other information:

- A. Packing: Sea worthy and fumigating wooden case



**ZHEJIANG ZHONGTE MACHINERY TECHNOLOGY CO.,LTD**

NANTANG ROAD ,SONGJIADAI ,FEIYUN STREET ,RUIAN CITY ,ZHEJIANG  
PROVINCE ,CHINA

TEL: 0086-577-65000222 FAX: 0086-577-65000222 Mobile: 0086-13968904226

- 
- B. Quality Guarantee: within one-year guarantee from installment date. If the machine need repair within this period, the seller shall dispatch technician to buyer's side in time. But the buyer shall bear all the expense during the repair period.
  - C. Term of trade: FOB NINGBO, shall be subject to the International Rules for the Interpretation of Trade Terms (INCOTERMS 2000) Provided by International Chamber of Commerce (ICC)
  - D. Payment: 30% T/T payment for deposit, the rest 70% T/T payment before shipment.
  - E. Delivery time: 7days after receiving the 30% T/T payment.
  - F. Insurance: to by covered by buyer
  - G. Expense for installment and test machine: The seller will dispatch the engineer to buyer side in time when the machines arrive at buyer's place.
  - H. Time of install and testing machine at buyer side: 5 days

If you have any other question, please feel free let us know.


This quotation is valid for 30days.

Best regards,

Shirley Zhou

## QUOTATION

No.	Commodity	Quantity	Unit price FOB ningbo	Amount
1.	ZJP-520 inspection machne	1 UNIT	USD 34750.00	USD 34750.00
2	'Digital Strobe 550 mm': Performance Improvement: 4000	1 set	USD 45220.00	USD 45220.00
Options device				
	BST web guide before rewinder	1 set	USD 3948.00	USD 3948.00
TOTAL VALUE:				



Technical Information 'Digital Strobe 550 mm':

Performance Improvement: 4000

- Standard Inspection width: 550 mm
- Max. theoretical physical inspection width



**ZHEJIANG ZHONGTE MACHINERY TECHNOLOGY CO.,LTD**

NANTANG ROAD ,SONGJIADAI ,FEIYUN STREET ,RUIAN CITY ,ZHEJIANG PROVINCE ,CHINA

TEL: 0086-577-65000222 FAX: 0086-577-65008799

- 
- (upon request, after verification): 570 mm
  - Camera housing width: 610 mm
  - Camera housing height: 290 mm
  - max. Speed incl. 4000 option: 250 m/min
  - Resolution per square pixel: 0.139 mm
  - Resolution in Pixel/mm2: 52
  - Resolution increase towards  
standard (% Pixel/mm2): 300 %
  - Number of Cameras 100 % View: 2
  - DSH  
Best case detectable defect size in homogenous areas  
(depending on contrast, print and web stability): 0.278 mm
  - DSH (surface) x\*y: 0.077 mm2
  - DSS  
Best case detectable defect size in structured areas  
(depending on contrast, print and web stability): 0.417 mm
  - DSS (surface) x\*y: 0.174 mm2

Modelis	ZJP-520
Max machine speed	300M/minutes
Max inspecting speed	300M/minutes
Unwinding diameter	1000mm
Down side Rewinding diameter	1000 mm
Air supply	0.4-0.6pa
Dimension	2000*1300*1600mm
Machine Power	13Kw
weight	1500 kgs



## ZHEJIANG ZHONGTE MACHINERY TECHNOLOGY CO.,LTD

NANTANG ROAD ,SONGJIADAI ,FEIYUN STREET ,RUIAN CITY ,ZHEJIANG PROVINCE ,CHINA

TEL: 0086-577-65000222 FAX: 0086-577-65008799

### Main electronics

Function	parts	brand	country
unwinder	Servo motor	Mitsubishi	Japan
rewinder (double)	Servo motor	Mitsubishi	Japan
PLC		Mitsubishi	Japan
Touch screen		FSTUDIO	China
Web guide		BST	Germany
Paper feeding	Servo motor	Huichuan	China
Speed adjustment motor		JSCC	China
Reducer		JSCC	China
Tension control		ZHONGXIN	China
Counting sensor		SICK	Germany
Proximity switch		SCHNEIDER	France
Solid relay		DINGYANG	Taiwan
Button		SCHNEIDER	France
contactor		CHINT	China
Bearing		NSK	Japan