



Add: No.26, Zhujiang Road, Xinwu district, Wuxi, Jiangsu

Province, China

Tel:0086-510-82720475/82720476(Extension 805)

Fax:0086-510-82720476

Mob: 0086-18012388659 Ms. Lynn Xie

Website: https://www.nicewellgroup.com

E-mail: engineer@wuxi-gumbase.com



packing machine for Fusen bubble gum







Packing machine A

Main performance:

- Adopt micro-computer control techniuqe,tracking color mark automatically and accurately.
- Candy packing plate works intermittently,compatible structure and reliable function.
- Lubricate driving device automatically.
- Heat sealing temperature controlled seperately, be suitable for different packing material.
- Adjust speed by frequency converter with no interruption.
- Product range: Length:20-72mm
- Product range: Width: 12-25mm
- Product range: Height:5-16mm
- Capicity:max 500pieces/min
- Power:3.5KW
- Frequency:50HZ
- Dimension(L*W*H):1320*1210*1820mm
- Weight:1250kg



Packing machine B

Main performance:

- Adopt micro-computer control techniuqe,tracking color mark automatically and accurately.
- Candy packing plate works intermittently,compatible structure and reliable function.
- Lubricate driving device automatically.
- Heat sealing temperature controlled seperately, be suitable for different packing material.
- Adjust speed by frequency converter with no interruption.
- Product range: Length:20-72mm
- Product range: Width: 12-25mm
- Product range: Height:5-16mm
- Capicity:max 500pieces/min
- Power:3.5KW
- Frequency:50HZ
- Dimension(L*W*H):1320*1210*1820mm
- Weight:1250kg

