



**USED FEIYA GG748 EMBROIDERY MACHINES
YEARE 2005**

Dimensions 730 cm * 180 * 130 cm

Number of needles per head 9

Power consumption (W) 1300 watts

Fully automatic car technology

It has a USB port

Frame size 400 * 680 mm

Power input voltage (V) 3 phases: 220 - 240 V,

350, 380, 400, 415, 440 V and 50 - 60 Hz

Single phase: 100 - 120 V, 200, 240 V and 50 - 60 Hz

Number of heads 15

Speed (engine speed per minute) 1000RPM

The Stop-Start button is working

It has an LED light

Inverter motor type * 1 plus motor * 2

It has an automatic thread adjustment system

It has an automatic thread cutter system

Color panel technology



**USED FEIYA GG748 EMBROIDERY MACHINES
YEARE 2005**

Dimensions 730 cm * 180 * 130 cm

Number of needles per head 9

Power consumption (W) 1300 watts

Fully automatic car technology

It has a USB port

Frame size 400 * 680 mm

Power input voltage (V) 3 phases: 220 - 240 V,

350, 380, 400, 415, 440 V and 50 - 60 Hz

Single phase: 100 - 120 V, 200, 240 V and 50 - 60 Hz

Number of heads 15

Speed (engine speed per minute) 1000RPM

The Stop-Start button is working

It has an LED light

Inverter motor type * 1 plus motor * 2

It has an automatic thread adjustment system

It has an automatic thread cutter system

Color panel technology
